

BIBLIOGRAPHY

- ABAQUS. (2002). *Analysis User's Manual Version 6.4*, Hibbitt, Karlsson & Sorensen, Inc., USA.
- Adegoke, C. W., Chang, C. S., and Selig, E. T. (1979). "Study of analytical models for track support systems." *Transportation Research Record 733*, TRB, 12-20.
- Al-Shayea. (2001). "The combined effect of clay and moisture content on the behaviour of remolded unsaturated soils." *Engineering Geology*, 62, 319-342.
- AS 1141.51. (1996). "Methods for sampling and testing aggregates, Method 51: Unconfined compressive strength of compacted materials." *Standards Australia, NSW, Australia*.
- AS 1289.3.4.1. (1995). "Methods of testing soils for engineering purposes, Method 3.4.1: Soil classifications tests - Determination of the linear shrinkage of a soil - Standard method." *Standards Australia, NSW, Australia*.
- AS 1289.3.9.1. (2002). " Methods of testing soils for engineering purposes, Method 3.9.1: Soil classifications tests - Determination of the cone liquid limit of a soil." *Standards Australia, NSW, Australia*.
- AS 1289.5.2.1. (2003). "Methods of testing soils for engineering purposes, Method 5.2.1: Soil classifications tests - Determination of the dry density/moisture content relation of a soil using modified compactive effort." *Standards Australia, NSW, Australia*.
- AS 1289.6.4.1. (1998). "Methods of testing soils for engineering purposes, Method 6.4.1: Soil strength and consolidation tests - Determination of compressive strength of soil - Compressive strength of a specimen tested in undrained triaxial

compression without measurement of pore water pressure." *Standards Australia, NSW, Australia.*

AS 1289.6.4.2. (1998). "Methods of testing soils for engineering purposes, Method 6.4.2: Soil strength and consolidation tests - Determination of compressive strength of soil - Compressive strength of a specimen tested in undrained triaxial compression with measurement of pore water pressure."

AS 1289.6.6.1. (1998). "Methods of testing soils for engineering purposes, Method 6.6.1: Soil strength and consolidation properties of a soil - Determination of the one-dimensional consolidation properties of a soil - Standard method." *Standards Australia, NSW, Australia.*

AS 1289.6.7.2. (2001). "Methods of testing soils for engineering purposes, Method 6.7.2: Soil strength and consolidation tests - Determination of permeability of a soil - Falling head method for a remoulded specimen." *Standards Australia, NSW, Australia.*

AS 1289.6.8.1. (1995). "Methods of testing soils for engineering purposes, Method 6.8.1: Soil strength and consolidation tests - Determination of the resilient modulus and permanent deformation of granular unbound pavement material." *Standards Australia, NSW, Australia.*

AS 4133.4.2. (1993). "Methods of testing rocks for engineering purposes, Method 4.2: Rock strength tests - Determination of uniaxial compressive strength." *Standards Australia, NSW, Australia.*

Bishop, A. W., and Henkel, D. J. (1962). *The measurement of soil properties in the triaxial test*, Edward Arnold (Publishes) Ltd., London, UK.

Bolton, M. D. (1986). "The strength and dilatancy of sand." *Geotechnique*, 36(No. 1), 65 - 78.

- Boulbibane, M., Collins, I. F., Weichert, D., and Raad, L. (2000). "Shakedown analysis of anisotropic asphalt pavements with clay subgrade." *Can. Geotech. J.*, 37, 882 - 889.
- Bowles, J. E. (1979). *Physical and geotechnical properties of soil*, McGraw-Hill Book Company, USA.
- Bowles, J. E. (1988). *Foundation analysis and design*, McGraw-Hill Book Co., Singapore.
- Boyce, J. R. (1980). "A non-linear model for the elastic behaviour of granular materials under repeated loading." International symposium on soils under cyclic and transient loading, G. N. Pande and O. C. Zienkiewicz, eds., Brookfield Pub Co, Swansea.
- Brown, S. F., Lashine, A. K. F., and Hyde, A. F. L. (1975). "Repeated load triaxial testing of a silty clay." *Geotechnique*, 25(1), 95 - 114.
- Cai, Z., and Raymond, G. P. (1993). "Responses of railway track to dynamic and static loading." *5th International Heavy Haul Railway Conference, Beijing, China*, 362 - 368.
- Chang, C. S., Adegoke, C. W., and Selig, E. T. (1980). "GEOTRACK model for railroad track performance." *Journal of the Geotechnical Engineering Division*, 106(GT11), 1201 - 1218.
- Charles, J. A., and Watts, K. S. (1980). "The influence of confining pressure on the shear strength of compacted rockfill." *Geotechnique*, 30(No. 4), 353 - 367.
- Chen, W. F., and Han, D. J. (1988). *Plasticity for structural engineers*, Springer-Verlag, NY.
- Chen, W. F., and Mizuno, E. (1990). *Nonlinear analysis in soil mechanics*, Elsevier, 1990.

- Chen, D.-H., Zaman, M., Laguros, J., and Soltani, A. (1995). "Assessment of computer programs for analysis of flexible pavement structures." *Transportation Research Record 1482, TRB*.
- Cho, Y.-H., McCullough, B. F., and Weissmann, J. (1996). "Considerations on finite-element method application in pavement structural analysis." *Transportation Research Record 1539, TRB*.
- Collins, I. F., and Boulbibane, M. (2000). "Geomechanical analysis of unbound pavements based on shake down theory." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, 126(1), 50 - 59.
- Collop, A. C., and Cebon, D. (1996). "Stiffness reduction of flexible pavements due to cumulative fatigue damage." *Journal of Transportation Engineering, ASCE*, 122(2), 131-139.
- Craig, R. F. (1997). *Soil Mechanics*, E & FN Spon, London, UK.
- Crisfield, M. A. (1991). *Non-linear finite element analysis of solids and structures*, John Wiley & Sons Ltd., England.
- Croney, D., and Croney, P. (1992). *The design and performance of road pavements*, McGraw-Hill, Singapore.
- Dahlberg, T. (2001). "Some railroad settlement models - a critical review." *Proceedings Institution of Mechanical Engineers*, 215 Part F, 289 - 300.
- Desai, C. S., and Abel, J. F. (1972). *Introduction to the finite element method; a numerical method for engineering analysis*, Van Nostrand Reinhold Co., New York .
- Desai, C. S., and Christian, J. T. (1977). *Numerical Methods in Geotechnical Engineering*, McGraw-Hill Book Company.

- Desai, C. S., and Siriwardane, H. J. (1982). "Numerical models for track support structure." *Journal of the Geotechnical Engineering Division*, 108(GT3), 461 - 480.
- Douglas, J. F. (1969). *An introduction to Dimensional Analysis for Engineers*, Sir Isaac Pitman & Sons Ltd., London.
- Dowding, C. H. (2000). "Effects of Ground Motions from High Speed Trains on Structures, Instruments, and Humans." *Wave 2000: Wave Propagation, Moving Load, Vibration Reduction, Proceedings of International Workshop Wave 2000*, Bochum, Germany, December 13-14, 2000, N. Chouw and D. Schmid, eds., A.A. Balkema, Rotterdam, 269 - 288.
- Drucker, D. C., and Prager, W. (1952). "Soil mechanics and plastic analysis or limit design." *Quart. Appl. Math*, 10, 157 - 165.
- Drumm, E. C., Boateng-Poku, Y., and Pierce, J. T. (1990). "Estimation of subgrade resilient modulus from standard tests." *Journal of Geotechnical Engineering*, 116(5), 774 - 789.
- Drumm, E. C., Li, Z., Reeves, J. S., and Madgett, M. R. (1996). "Alternative test method for resilient modulus of fine-grained subgrades." *Geotechnical Testing Journal*, 19(2), 141 - 154.
- Drumm, E. C., Reeves, J. S., Madgett, M. R., and Trolinger, W. D. (1997). "Subgrade resilient modulus correction for saturation effects." *Journal of Geotechnical and Geoenvironmental Engineering*, 123(7), 663 - 670.
- Esveld, C. (2001). *Modern Railway Track*, MRT-Productions, West Germany.
- Frohling, R. D. (1997). "Deterioration of railway track due to dynamic vehicle loading and spatially varying track stiffness," PhD Thesis, University of Pretoria, Pretoria.

- Foun, D., and Williams, S. (2003). "RTAA 4 - QR's trackbed investigation methodology." *AusRail Plus 2003*, Informa Australia Pty Ltd, Sydney, Australia, 1 -11.
- Gazetas, G. (1991). "Foundation Vibrations." *Foundation Engineering Handbook*, H. Y. Fang, ed., Van Nostrand Reinhold, New York, 553 - 593.
- Hagaman, B. R. (1997). "Railway Track Design." *Civil Engineering Course*, Queensland Rail, Australia.
- Hall, L. (2003). "Simulations and analyses of train-induced ground vibrations in finite element models." *Soil Dynamics and Earthquake Engineering*, 23, 403 - 413.
- Harison, J. A. (1989). "Technical Note: In situ CBR determination by DCP testing using a laboratory-based correlation." *Australian Road Research*, 19(4), 313 - 317.
- Heath, D. L., Shenton, M. J., and Sparrow, R. W. (1972). "Design of conventional rail track foundations." *Proc. Instn Civ. Engrs*, 51, 251 - 267.
- Hendriks, R. (2002). "Transportation related earthborne vibrations." *TAV-02-01-R9601*, California Department of Transportaion, Division of Environmental Analysis, Office of Noise, Air Quality, and Hazardous Waste Management, Sacramento, CA.
- Hicks, R. G., and Monismith, C. L. (1971). "Factors Influencing the resilient properties of granular materials." *Transportation Research Record 345*, TRB.
- Hjelmstad, K. D., and Taciroglu, E. (2000). "Analysis and Implementation of resilient modulus models for granular solids." *Journal of Engineering Mechanics, ASCE*, 126(8), 821 - 830.
- Ionescu, D., Indraratna, B., and Christie, D. (2004). "Construction potential of recycled railway ballast based on large-scale triaxial tests." *Conference on Railway Engineering, Darwin 20-23 June 2004*, 29.1 - 29.11.

- Janssen, D. J., and Dempsey, B. J. (1981). "Soil-moisture properties of subgrade soils."
- Jeffs, T., and Tew, G. P. (1991). *A review of track design procedures, Volume 2, Sleepers and Ballast*, Railways of Australia.
- Jirasek, M., and Bazant, Z. (2002). *Inelastic analysis of structures*, John Wiley & Sons, Ltd, West Sussex, England.
- Kang, Y. L., Lin, X. H., and Qin, Q. H. (2004). "Inverse/generic method and its application in identification of mechanical parameters of interface in composite." *Composite Structures*, 66, 449 - 458.
- Kim, D. S., Kweon, G. C., and Lee, K. H. (2001a). "Alternative method of determining resilient modulus of subgrade soils using a static triaxial test." *Can. Geotech. J.*, 38, 107 - 116.
- Kim, D. S., Kweon, G. C., and Rhee, S. (2001b). "Alternative method of determining resilient modulus of subbase soils using a static triaxial test." *Can. Geotech. J.*, 38, 117 - 124.
- Knothe, K., and Wu, Y. (1998). "Receptance behaviour of railway track and subgrade." *Archive of Applied Mechanics*, 68(7-8), 457-470.
- Ksaibati, K., Armaghani, J., and Fisher, J. (2000). "Effect of moisture on modulus values of base and subgrade materials." *Transportation Research Record 1716, TRB*.
- Lambe, T. W., and Whitman, R. V. (1979). *Soil Mechanics*, John Wiley & sons, Inc., New York.
- Lay, M. G. (1990). *Handbook of road technology*, Gordon and Breach Science Publishes.
- Lee, W., Bohra, N. C., Altschaeffl, A. G., and White, T. D. (1997). "Resilient modulus of cohesive soils." *Journal of Geotechnical and Geoenvironmental Engineering*, 123(2), 131 - 136.

- Lei, X. (2001). "Dynamic analysis of the track structure of a high-speed railway using finite elements." *Proceedings Institution of Mechanical Engineers*, 215 Part F, 301 - 309.
- Lekarp, F., and Dawson, A. (1997). "Analysis of permanent deformation behaviour of unbound granular material." *International Symposium on Thin Pavements, Surface Treatment, Unbound Roads, Fredericton, New Brunswick, Canada*, 91 - 99.
- Lekarp, F., and Dawson, A. (1998). "Modelling permanent deformation behaviour of unbound granular materials." *Construction and Buildings Materials, Elsevier Science Ltd.*, 12(1), 9 - 18.
- Lekarp, F., Isacsson, U., and Dawson, A. (2000). "State of the Art II: Permanent strain response of unbound aggregates." *Journal of Transportation Engineering, ASCE*, 126(1), 76 - 83.
- Li, D., and Selig, E. T. (1994). "Resilient modulus for fine grained subgrade soils." *Journal of Geotechnical Engineering*, 120(6), 939 - 957.
- Li, D., and Selig, E. T. (1996). "Cumulative plastic deformation for fine-grained subgrade soils." *Journal of Geotechnical Engineering, ASCE*, 122(12), 1006 - 1013.
- Li, D., and Selig, E. T. (1998a). "Method for railroad track foundation design I: development." *Journal of Geotechnical and Geoenvironmental Engineering*, 124(4), 316 - 322.
- Li, D., and Selig, E. T. (1998b). "Method for railroad track foundation design II: Applications." *Journal of the Geotechnical and Geoenvironmental Engineering*, 124(4), 323 - 329.

- Liao, N.-H. (2003). "Assessment empirical soil properties and its applications in performance analysis," Masters Thesis, National Cheng Kung University, Taiwan.
- Lin, X. H., Kang, Y. L., Qin, Q. H., and Fu, D. H. (2005). "Identification of interfacial parameters in a particle reinforced metal matrix composite Al6061-10%Al₂O₃ by hybrid method and generic algorithm." *Computational Materials Science*, 32, 47 - 56.
- Main Roads MRS11.05. (1999). "Main Roads Standard Specifications-Unbound Pavements." *Queensland Department of Main Roads*.
- May, R. W., and Von Quintus, H. L. (1994). "The quest for a standard guide to NDT backcalculation." *Nondestructive testing of pavements and backcalculation of moduli (Second Volume)*, ASTM STP 1198, H. L. Von Quintus, A. J. Bush, and G. Y. Baladi, eds., American Society for Testing and Materials, Philadelphia, 505 - 520.
- Means, R. E., and Parcher, J. V. (1964). *Physical properties of soils - Their determination, interpretation, and significance*, Constable and Company Limited, UK.
- Menzies, B. K. (1988). "A computer controlled hydraulic triaxial system." *Advanced Triaxial Testing of Soil and Rock*, ASTM STP 977, R. T. Donaghe, R. C. Chaney, and M. L. Silver, eds., American Society for Testing Materials, Philadelphia, 82 - 94.
- Muhanna, A. S., Rahman, M. S., and Lambe, P. C. (1999). "Resilient modulus measurements of fine-grained subgrade soils." *Transportation Research Record* 1687, TRB.

- Murphy, D. J. (1987). "Stress, degradation, and shear strength of granular material." Geotechnical modeling and applications, M. S. Sayed, ed., Gulf Publishing Company, Texas, USA, 181 - 211.
- Nazarian, S., and Boddapati, K. M. (1995). "Pavement-Falling weight deflectometer interaction using dynamic finite element analysis." *Transportation Research Record 1482*, TRB.
- Okada, K., and Ghataora, G. S. (2002). "Use of cyclic penetration test to estimate the stiffness of railway subgrade." *NDT & E international*, 35, 65 -74.
- Potts, D. M., and Zdravkovic, L. (1999). *Finite element analysis in geotechnical engineering, Theory*, Thomas Telford, London.
- Profillidis, V. A. (1985). "Three-dimensional Elasto-plastic finite element analysis for track bed structures." *Civil engineering for practicing and design engineers*, 4, 685 - 701.
- Profillidis, V. A. (1986). "Application of finite element analysis in the rational design of track bed structures." *Computers & structures*, 22(3), 439 - 443.
- Profillidis, V. A. (2000). *Railway Engineering*, Avebury Technical, Ashgate Publishing Limited, England.
- Puppala, A. J., Mohammad, L. N., and A, A. (1999). "Permanent deformation characterization of subgarde soils from RLT test." *Journal of Materials in Civil Engineering, ASCE*, 11(4), 274 - 282.
- Quantachrome Corporation. (1996). "Multi-pycnometer user manual."
- Queensland Rail - Civil Engineering Section. (1998). "Civil engineering standard specification - Earthworks." Part No. 6(Revision C).
- Raad, L., Weichert, D., and Haidar, A. (1989). "Shakedown and fatigue of pavements with granular bases." *Transportation Research Record 1227*, TRB.

- Raymond, G. P. (1978). "Design for railroad ballast and subgrade support." *Journal of the Geotechnical Engineering Division*, 104(GT1), 45 - 60.
- Selig, E. T., and Waters, J. M. (2000). *Track geotechnology and substructure management*, Thomas Telford Publications, London.
- Shackel, B. (1973). "Repeated loading of soils." *Australian Road Research*, 5(3), 22 - 49.
- Shahu, J. T., Rao, N. S. V. K., and Yudhbir. (1999). "Parametric study of resilient response of tracks with a sub-ballast layer." *Can. Geotech. J.*, 36, 1137 - 1150.
- Sharp, R. W., and Booker, J. R. (1984). "Shakedown of pavement under moving surface loads." *Journal of Transportation Engineering, ASCE*, 110(1), 1 -14.
- Shuo, L., Fwa, T. F., and Tan, K. H. (1998). "Parameters back-calculation for concrete pavement with two slab layers." *Journal of Transportation Engineering, ASCE*, 124(6), 567 - 572.
- Smith, I. M., and Griffiths, D. V. (1988). *Programming the finite element method*, John Wiley & Sons Ltd., U.K.
- Sowers, G. F. (1979). *Introductory soil mechanics and foundations: Geotechnical Engineering*, Macmillan Publishing Co., Inc., USA.
- Stolle, D. F. E. (1990). "Effect of mechanical model on back-calculated pavement modulus." *Can. Geotech. J.*, 17, 494 - 496.
- Sun, L. (2002). "A closed-form solution of beam on viscoelastic subgrade subjected to moving loads." *Computers & structures*, 80, 1 - 8.
- Sussmann, T. R., and Selig, E. T. (2000). "Resilient modulus backcalculation techniques for track." *ASCE Special Publication No. 94*, 401 - 410.
- Svec, O. J., and Raymond, G. P. (1976). "Nonlinear analysis rail track and support." *Second International Conference on Numerical Methods in Geomechanics*, ASCE, New York, USA, 540 - 550.

- Tayabji, S. D., and Marshall, T. (1977). "Considerations in the analysis of conventional railway track support system." *Transportation Engineering Journal, ASCE*, 103(TE2), 279 - 292.
- Taylor, E. S. (1974). *Dimensional analysis for engineers*, Clarendon Press, Oxford.
- Thompson, M. R., and Robnett, Q. L. (1979). "Resilient properties of subgrade soils." *Transportation Engineering Journal, ASCE*, 105(TE1), 71 - 89.
- Thompson, M. R., Tutumluer, E., and Bejarano, M. (1998). "Granular material and soil moduli - Review of the literature." *COE Report No. 1*, Center of Excellence for Airport Pavement Research, Dept. of Civil Engineering, University of Illinois, Illinois, USA.
- Tian, P., Zaman, M., and Laguros, J. G. (1998). "Variation of resilient modulus of aggregate base and its influence on pavement performance." *Journal of Testing and Evaluation, JTEVA*, 26(4), 329 - 335.
- Troxler Electronic Laboratories Inc. (1990-2001). "Manual of operations and instructions, Surface moisture-density gauge." USA.
- Uddin, W., Hackett, R. M., Joseph, A., Pan, Z., and Crawley, A. B. (1995). "Three-dimensional finite-element analysis of jointed concrete pavement with discontinuities." *Transportation Research Record 1482*, TRB.
- Uzan, J. (1985). "Characterization of granular materials." *Transportation Research Record 1022*, TRB.
- Uzan, J. (1994). "Advanced backcalculation techniques." *Nondestructive testing of pavements and backcalculation of moduli (Second Volume)*, ASTM STP 1198, H. L. Von Quintus, A. J. Bush, and G. Y. Baladi, eds., American Society for Testing and Materials, Philadelphia, 3 - 37.

- Vucetic, M., and Dobry, R. (1991). "Effect of soil plasticity on cyclic response." *Journal of Geotechnical Engineering, ASCE*, 117(1), 89 - 107.
- Wang, G., and Sitar, N. (2004). "Numerical analysis of piles in elasto-plastic soils under axial loading." 17th ASCE Engineering Mechanics Conference, University of Delaware, Newark, DE.
- Yang, Z., and Elgamal, A. (2004). "A multi-surface plasticity sand model including the lode angle effect." 17th ASCE Engineering Mechanics Conference, University of Delaware, Newark, DE, June 13-16, 2004.
- Zhang, Y. J. (2000). "An Integrated Rail Track Degradation Model," PhD Thesis, Queensland University of Technology, Australia.
- Zicha, J. H. (1989). "High-speed rail track design." *Journal of Transportation Engineering*, 115(1), 68 - 83.
- Zienkiewicz, O. C., and Taylor, R. L. (2002). *The finite element method, 5th ed.*, Butterworth-Heinemann, Oxford ; Boston.